

# COOLSHADE

## COMMERCIAL SHADE CLOTH ENGINEERED TO LAST

SHADE SAILS & STRUCTURES | TENSIONED STRUCTURES



## **COOLSH** DE

## COMMERCIAL SHADE CLOTH ENGINEERED TO LAST

Coolshade by Ricky is a heavy-duty commercial grade shade cloth that delivers ultra-violet (UV) protection and is engineered to last under the harsh Australian elements. The contemporary colour palette is available in multiple fabric widths for versatility. Coolshade is supported with a 12-year warranty for peace of mind. Typical environments include; schools & daycare centres, parks & playgrounds, carparks and most shade sails and structures.



#### **HIGH UVR PROTECTION**

Up to 97% UVR block across the Coolshade range of colours.



#### **MOULD & MILDEW RESISTANT**

Coolshade thrives in all elements and environments. Manufactured to last and stand the test of time.



#### **HEAT SET**

Thermal process that reduces shrinkage once installed and allows for easier fabrication of Coolshade product.



#### 100% RECYCLABLE

Coolshade is a fully recyclable product that will not rot over time.



#### **12-YEAR WARRANTY**

Coolshade is supported by a full 12-year UV degradation warranty across the range.

## **COLOUR RANGE**



## **TECHNICAL SPECIFICATIONS**

Breaking Force	Warp: 770N/50mm	Elongation at Break	Warp: 108%	
(AS2001.2.3.1-2001)	Weft: 2000N/50mm		Weft: 74%	
Tear Resistance/Wing Rip	Warp: 213N	Bursting Pressure	3800kPa	
(AS2001.2.10-1986)	Weft: 248N	(AS2001.2.4-1990 Mean Hydraulic Diaphragm)		
Bursting Force (AS2001.2.19-199	1869N			
Roll Width	380cm & 300cm	Roll Length	50m	

Colour	UVR Block %	Cover Factor %	Shade Factor %	UVE %	Category	
Black	96.8	96	96.7	96	Most Effective	
Dark Charcoal	94.1	94	93.1	92	Very Effective	
Slate	89.9	90	87.3	89	Effective	
Silver	84.8	84	84.4	84	Effective	
Dark Green	92.3	92	88.6	92	Very Effective	
Maize	90.6	90	83.8	90	Effective	
Midnight	93.1	93	91.5	92	Very Effective	
Aqua Blue	92.9	94	86	93	Very Effective	
Red	93.8	93	83.6	94	Very Effective	
Manor Red	92.4	92	88.2	92	Very Effective	
Yellow	94.1	93	73.7	93	Very Effective	
Sand	87.8	88	78.1	87	Effective	
Cappuccino	92.8	93	84.8	92	Very Effective	
lvory	91.5	92	71	92	Very Effective	

AS1530.2	Flammability Index			10
AS1530.3	Spread of Flame	8	Smoke Developed	5
	Ignitability	11	Heat Evolved	6



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725 1300 RICKYS (1300 742 597) sales@rickyrichards.com.au rickyrichards.com.au

JULY 2024

Information contained in this brochure is accurate and based on the latest product information available at the time. Please be aware that a slight colour difference may occur when using different online devices or when printed.

