



RICKY RIPSTOP

PVC COATED RIP-RESISTANT POLYESTER

TARPAULINS | UTE COVERS | BOX TRAILER COVERS | GRAIN BINS



RICKY RIPSTOP

STRENGTH AND DURABILITY MEETS CONVENIENCE AND PRECISION.

Engineered for medium to large-scale applications where resilience reigns supreme. Crafted with precision, this fabric boasts exceptional tear and rip resistance, ensuring longevity and reliability in the face of challenging conditions. With a sleek gloss acrylic lacquer coating on both sides, maintenance becomes a breeze, making cleanup effortless after every use.

From safeguarding your cargo to protecting your assets, Ricky Ripstop proves its mettle across a diverse range of applications. Whether it's tarpaulins for construction sites, robust ute covers, or sturdy box trailer covers, this fabric rises to the occasion with unwavering strength and performance. Its versatility extends to grain bins, where it shields your agricultural produce from the elements, preserving quality and freshness. With Ricky Ripstop, durability meets convenience, empowering you to tackle any task with confidence and ease.



UV STABILISED

Ricky Ripstop fabrics are UV stabilised which prevents them from fading under intense UV rays. It also increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT

Ricky Ripstop is fire retardant which means the fabrics are designed for commercial environments. Test results available by request.



DURABLE & RIP RESISTANT

Ricky Ripstop is resistant to tearing or ripping, making the fabric extremely durable.

COLOUR RANGE



WHITE



YELLOW



ORANGE



CHILLI RED



PINK



GREEN



LIGHT BLUE



ROYAL BLUE



NAVY



GREY



BLACK

TECHNICAL SPECIFICATIONS

Roll Width	203cm
Roll Length	30 metres
Nominal Weight	650gsm
Thickness	0.58mm
Fabric Type	PVC coated rip-resistant polyester
Base Fabric	Woven 1100dtex polyester
Fabric Density	9 x 9 threads per cm ²
Finish	Matte
Tensile Strength (AS 2001.2.3.1 - 2001)	Warp: 3313N/50mm Weft: 3149N/50mm
Elongation at Break	Warp: 26.9% Weft: 35.3%
Wing Rip (AS 2001.2.10 - 1986)	Warp: 480N Weft: 455N





Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

JULY 2024

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.

