ricky

PRINT MEDIA
## CATALOGUE 2025

FEATURING

PVC BANNERS

FLOOR GRAPHICS

WALL COVERINGS

ARTIST CANVAS

FABRICS

ACCESSORIES

EXPLORE
PRINT
MEDIA

YOU CAN RELY ON RICKY
A NATION-WIDE OPERATIONAL NETWORK

EXPERT CUSTOMER SERVICE | QUALITY PRODUCT | SPEEDY DELIVERY

PAKENHAM, VIC

SERVICING VIC, TAS, SA & WA

GEEBUNG, QLD

SERVICING QLD, NT & NORTHERN NSW

VILLAWOOD, NSW

SERVICING NSW

CONTENTS

RICKYFLEX & RICKYFLEX FR

510GSM MATTE SEMI-COATED BANNER

Rickyflex is a premium semi-coated front-lit PVC banner ideal for interior and medium-term exterior applications and for roll-up displays. Rickyflex is highly durable, low curl and has a smooth matte finish. It is available in a fire retardant version.

Applications

Premium Banners

Roll-up Banners

Matte

| Roll Widths	137cm, 160cm, 210cm, 250cm, 320cm, 500cm
Roll Length	50m
Weight	510gsm
Denier	1000 x 1000
Density	20 x 20 threads per inch^2
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

RICKYTRANS

610 GSM BACKLIT SEMI-COATED FLEXFACE PVC BANNER

Rickytrans is a semi-coated backlit PVC banner ideal for backlit signs. It is highly durable in outdoor environments and is matte in finish.

Applications

Backlit Billboards

Matte

Roll Width	320cm
Roll Length	50m
Weight	510gsm
Denier	1000 x 1000
Density	18 x 18 threads per inch^2
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

USB ULTRA SMOOTH BLOCKOUT
440GSM MATTE SEMI-COATED PVC BANNER

USB is an ultra smooth blockout banner fabric suitable for indoor and short term outdoor projects. It is UV stabilised and boasts excellent lay flat and printability on both sides.

Applications

Premium Banners   Roll-up Banners

Matte

Roll Widths	137cm, 160cm, 250cm, 320cm
Roll Length	50m
Weight	440gsm
Denier	250 x 250
Density	36 x 36 threads per inch^2
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

BL610 & BL610 FR
610GSM SATIN BLOCKOUT PVC BANNER

BL610 is a double sided satin blockout PVC ideal for indoor and outdoor banners. It features high tear strength, meterage markings, and a smooth finish. It is available in a fire retardant version.

Applications

Outdoor Banners

Satin

Roll Widths	137cm, 160cm, 203cm, 250cm, 320cm, 500cm
Roll Length	50m
Weight	610gsm
Denier	1000 x 1000
Density	20 x 20 threads per inch^2
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

BACKLINER MESH PLUS

270GSM PVC COATED POLYESTER MESH WITH A LINER

Backliner Mesh is a PVC coated polyester mesh ideal for applications that require light or wind to filter through. The release liner allows banners to be printed without ink flow through. Backliner Mesh is strong and allows for superior image quality.

Applications

- Perimeter Fencing
- Building Wraps
- Window Banners

Matte

Roll Widths	160cm
Roll Length	50m
Weight	270gsm
Denier	1000 x 1000
Density	12 x 12 threads per inch^2
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

PROMOMESH FR

270GSM FIRE RETARDANT PVC COATED MESH

A PVC coated mesh ideal for perimeter fencing, building wraps, window banners, and display banners. Promomesh FR is strong, durable, and fire retardant.

Applications

- Perimeter Fencing
- Building Wraps
- Window Banners

Matte

Roll Sizes	160cm x 110m, 180cm x 110m, 320cm x 55m, 500cm x 55m
Weight	270gsm
Denier	1000 x 1000
Density	12 x 12 threads per inch^2
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

G-FLOOR™

2440GSM LONG-TERM FLOORING

Long-term premium floor graphics ideal for retail POS, trade shows, stage, TV, movie sets, show rooms, museums, convention centres, sports arenas, bars, restaurants and gymnasiums. G-Floor is reusable, easy to clean and doesn't require adhesives.

Applications

- Retail & Hospitality
- Trade Shows & Show Rooms
- Stages, TV Sets & Movie Sets
- Museums & Galleries

Ceramic Matte

Roll Widths	152cm, 304cm
Roll Length	18.59m
Weight	2440gsm
Thickness	1.9mm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

DreamScape®

## TYPE I WALL COVERINGS 13OZ / 300GSM

COMMERCIAL GRADE WALL COVERINGS

A light weight, embossed wall covering for long term decoration. DreamScape Type I wall coverings are cost effective and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

Applications

- Wall Coverings

Matte	Canvas	Mystical	Suede

Roll Width	137cm
Roll Length	45.72m
Weight	13OZ / 300gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

DreamScape®

TYPE II WALL COVERINGS 20OZ / 440GSM

COMMERCIAL GRADE WALL COVERINGS

A medium weight, embossed wallcovering for long term decoration. DreamScape Type II wallcoverings are cost effective and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

Applications   Wall Coverings

Artist Canvas	Canvas	Grasscloth	Matte	Mystical	Sandblast	Silk	Suede

Roll Width	137cm
Roll Length	45.72m
Weight	20OZ / 440gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

DreamScape®

TYPE III WALL COVERINGS 35OZ / 793GSM

COMMERCIAL GRADE WALL COVERINGS

A heavy duty, embossed wallcovering for high traffic environments. DreamScape Type III wallcoverings are durable and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

Applications   Wall Coverings

Linen

Roll Width	137cm
Roll Length	45.72m
Weight	35OZ / 793gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

DreamScape® SPECIAL EFFECTS 440GSM
COMMERCIAL GRADE WALL COVERINGS

DreamScape Special Effects offers a premium range of high quality, reflective wall coverings. With its superior finish, this collection is ideal for creating striking wall graphics and impressive wide-format murals.

Applications   Wall Coverings

Gold Flash

Satara Steel

Roll Width	137cm
Roll Length	45.72m
Weight	440gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

DreamScape® SUSTAINABLE 315GSM & 457GSM
COMMERCIAL GRADE WALL COVERINGS

DreamScape Sustainable offers an eco-friendly solution for stunning and durable wall graphics, featuring a range of sustainable materials to minimise environmental impact without compromising on quality.

Applications   Wall Coverings

Terralon

Novalon

Roll Width	137cm
Roll Length	45.72m
Weight	Terralon: 315gsm, Novalon: 457gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

# *DreamScape* WALLWRAPS 280 & 330 MICRON
COMMERCIAL GRADE WALL COVERINGS

The DreamScape Wallwrap range is an easy to apply, self-adhesive printable wallpaper.
There is no overlamination required, no stretch and can be re-applied multiple times.
It is 2-4 times thicker and more durable than other wraps.

Applications   Wall Coverings

Classic   Caviar

Roll Width	137cm
Roll Length	45.72m
Weight	Classic: 280 micron, Caviar: 330 micron
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

FREDRIX SELECT ARTIST CANVAS
340GSM MATTE ARCHIVAL QUALITY ARTIST CANVAS

Fredrix Select is a 65% polyester / 35% cotton artist canvas with a matte acrylic top coating. It is ideal for fine art reproductions, and museum and gallery displays.

**Applications**   Fine Art Reproductions   Museum & Gallery Displays

Matte

Roll Widths	137cm, 157cm, 185cm, 264cm, 320cm
Roll Length	22.86m
Weight	340gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

STARLIGHT DISPLAY FR

230GSM FIRE RETARDANT KNITTED POLYESTER DISPLAY TEXTILE

A printable textile ideal for front lit banners and frame systems. Starlight Display FR is a recyclable polyester with a slight stretch and good opacity.

Applications

Display Systems

Banners

Matte

Roll Width	320cm
Roll Length	50m
Weight	230gsm
Printing Compatibility	Latex, Ultra-Violet, Dye Sub Direct, Dye Sub Transfer

be.tex® ECO DISPLAY FR

210GSM FIRE RETARDANT KNITTED POLYESTER TEXTILE

Eco Display FR is a treated and heat set, fire retardant knitted polyester digital printing textile.

Applications

Frame Systems & Pop-up Displays

Banners

Matte

Roll Width	320cm
Roll Length	50m
Weight	210gsm
Printing Compatibility	Latex, Ultra-Violet, Dye Sub Direct, Dye Sub Transfer

be.tex® EXPANDABLE

180GSM FIRE RETARDANT KNITTED POLYESTER TEXTILE

A heat set, fire retardant knitted polyester digital printing textile with high elasticity.

Applications

Frame Systems & Pop-up Displays

Table-cloths

Chair Covers

Matte

Roll Width	320cm
Roll Length	80m
Weight	180gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer

AURORA BACKLIT PLUS FR

190GSM FIRE RETARDANT WOVEN POLYESTER TEXTILE

A high performance, fire retardant polyester backlit textile designed to deliver evenly illuminated graphics for indoor and outdoor signage. Aurora is 100% recyclable.

Applications

SEG Light Boxes

Frame Systems

Matte

Roll Width	320cm
Roll Length	80m
Weight	190gsm
Printing Compatibility	Latex, Dye Sub Direct, Dye Sub Transfer

be.tex® SAMBA® FR

195GSM FIRE RETARDANT WOVEN BACKLIT POLYESTER TEXTILE

Coated, fire retardant woven polyester digital printing textile. Ideal for light boxes, inflatables, pop ups and bean bags.

Applications

- Light Boxes
- Frame Systems
- Pop-ups & Inflatables

Matte

Roll Sizes	160cmx 70m, 260cm x 100m, 320cm x 100m, 500cm x 50m
Weight	195gsm
Printing Compatibility	Solvent, Eco-Solvent, Ultra-Violet, Latex

be.tex® LUMINA FR

190GSM FIRE RETARDANT BACKLIT TEXTILE

Coated, fire retardant woven polyester digital printing textile. Ideal for light boxes, inflatables, pop ups and bean bags.

Applications

- Light Boxes
- Frame Systems

Matte

Roll Width	160cm, 320cm
Roll Length	100m
Weight	190gsm
Printing Compatibility	Latex, Dye Sub Direct, Dye Sub Transfer

PANTHER BLACKBACK

260GSM FIRE RETARDANT POLYESTER BLOCKOUT TEXTILE

Panther Blackback is a knitted polyester blockout textile with black foam backing. Ideal for backdrops, pop-up frames, exhibitions, display systems.

Applications

- Backdrops
- Pop-up Frames
- Exhibitions
- Display Systems

Matte with Black Backing

Roll Width	320cm
Roll Length	100m
Weight	260gsm
Printing Compatibility	Latex, Ultra-Violet, Dye Sub Direct, Dye Sub Transfer

SOFTIMAGE CONTRAST

220GSM FIRE RETARDANT POLYESTER BLOCKOUT TEXTILE

Panther Blackback is a knitted polyester blockout textile with black foam backing. Ideal for backdrops, pop-up frames, and display systems.

Applications

- Backdrops
- Pop-up Frames
- Display Systems

Matte with Black Backing

Roll Width	320cm, 505cm
Roll Length	50m
Weight	220gsm
Printing Compatibility	Latex, Ultra-Violet, Dye Sub Direct, Dye Sub Transfer

be.tex® FLAG 130

130GSM FIRE RETARDANT KNITTED POLYESTER FABRIC

Flag 130 is a durable knitted polyester fabric that is ideal for flags and teardrop banners. Flag 130 is heavy weight, crease resistant and anti-static.

Applications Flags

Matte

Roll Width	310cm
Roll Length	200m
Weight	130gsm
Printing Compatibility	Latex, Ultra-Violet, Dye Sub Direct, Dye Sub Transfer

SILICONE PROFILE

3MM THICK SILICONE PROFILE EDGING

Silicone profile edging for easy fabric application into light boxes and display frame systems.

Applications Light Box Profile Edging   Frame System Profile Edging

Silicone

Roll Width	14mm
Roll Length	100m
Thickness	3mm

ricky

CASE STUDY:
W SYDNEY HOTEL
DARLING HARBOUR, SYDNEY CBD

DESIGNER: Bowler James Brindley and Hassell BUILDER: Multiplex INSTALLER: Inklandi
PRODUCTS: Custom Dreamscape Low VOC Wall Covering in Matte Finish, Custom Dreamscape Low VOC Vinyl and Custom Dreamscape Artist Canvas

A Specifiers Guide
To Custom Wallcoverings:
Enhancing Commercial
Spaces

ricky
RICHARDS

EXPLORE THE
W HOTEL CASE
STUDY

READ THE
DREAMSCAPE®
WHITEPAPER

ricky

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

EXPLORE
PRINT
MEDIA