



*DreamScape®*

# DATASHEET KIT

## FEATURING

TYPE I WALL COVERINGS

TYPE II WALL COVERINGS

TYPE II WALL COVERINGS

SUSTAINABLE

NOVALON®

WALLWRAPS



Photo:  
DreamScape Wallwrap at  
Lyft Head Office, San Francisco



**TYPE I WALLCOVERINGS (130Z / 300GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

**Applications**



WALLCOVERINGS

**Printing  
Compatibility**



SOLVENT



ECO-SOLVENT



UV GEL & CURABLE



LATEX



**TYPE I WALLCOVERINGS (130Z / 300GSM)**  
 COMMERCIAL GRADE WALLCOVERINGS

**Description**

A light weight, embossed wallcovering for long term decoration. DreamScape® Type I wallcoverings are cost effective and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

**Applications**



WALLCOVERINGS

**Technical Specifications**

Roll Width	137cm	Roll Length	45.72m
Finishes	Canvas, Matte, Mystical, Suede	Nominal Weight	130Z/300gsm
Face	Embossed PVC	Backing	Woven Polyester/Cotton
Fire Retardant	AS/NZS 3837:1998	Treatment	Mould, Mildew & Fungal Resistant

**Printing Compatibility**



SOLVENT



ECO SOLVENT



UV GEL & CURABLE



LATEX



**TYPE II WALLCOVERINGS (200Z / 440GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

**Applications**



WALLCOVERINGS

**Printing Compatibility**



SOLVENT



ECO-SOLVENT



UV GEL & CURABLE



LATEX



**TYPE II WALLCOVERINGS (200Z / 440GSM)**  
 COMMERCIAL GRADE WALLCOVERINGS

## Description

A medium weight, embossed wallcovering for long term decoration. DreamScape® Type II wallcoverings are cost effective and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

## Applications



WALLCOVERINGS

## Technical Specifications

Roll Width	137cm	Roll Length	45.72m
Finishes	Artist Canvas, Canvas, Grasscloth, Matte, Mystical, Sandblast, Silk, Suede	Nominal Weight	200Z/440gsm
Face	Embossed PVC	Backing	Polyester Non Woven
Fire Retardant	AS/NZS 3837:1998	Treatment	Mould, Mildew & Fungal Resistant

## Printing Compatibility



SOLVENT



ECO SOLVENT



UV GEL & CURABLE



LATEX

*DreamScape*



**TYPE III WALLCOVERINGS (350Z / 793GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

**Applications**



WALLCOVERINGS

**Printing  
Compatibility**



SOLVENT



ECO-SOLVENT



UV GEL & CURABLE



LATEX



**TYPE III WALLCOVERINGS (350Z / 793GSM)**  
 COMMERCIAL GRADE WALLCOVERINGS

**Description**

A heavy duty, embossed wallcovering for high traffic environments. DreamScape® Type III wallcoverings are durable and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

**Applications**



WALLCOVERINGS

**Technical Specifications**

Roll Width	137cm	Roll Length	45.72m
Finish	Linen	Nominal Weight	350Z/793gsm
Face	Embossed PVC	Backing	Woven Polyester/Cotton
Fire Retardant	AS/NZS 3837:1998	Treatment	Mould, Mildew & Fungal Resistant

**Printing Compatibility**



SOLVENT



ECO SOLVENT



UV GEL & CURABLE



LATEX



*DreamScape*



**SPECIAL EFFECTS (440GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

## Applications



WALLCOVERINGS

## Printing Compatibility



SOLVENT




ECO-SOLVENT



UV GEL & CURABLE



LATEX





**SPECIAL EFFECTS (440GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

## Description

DreamScape® Special Effects offers a premium range of high quality, reflective wall coverings. With its superior finish, this collection is ideal for creating striking wall graphics and impressive wide-format murals.

## Applications



WALLCOVERINGS

## Technical Specifications

Roll Width	137cm	Roll Length	45.72m
Finishes	Gold Flash*, Satara Steel	Nominal Weight	440gsm
Face	Polyester / PVC	Backing	Polyester Non Woven
Fire Retardant	AS/NZS 3837:1998	Treatment	Mould, Mildew & Fungal Resistant

\*Gold Flash is compatible with UV printing only. Satara Steel is compatible with all printing types listed below.

## Printing Compatibility



SOLVENT



ECO SOLVENT



UV GEL & CURABLE



LATEX

*DreamScape*®



**SUSTAINABLE (315GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

## Applications



WALLCOVERINGS

## Printing Compatibility



SOLVENT



ECO-SOLVENT



UV GEL & CURABLE



LATEX





**SUSTAINABLE (315GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

## Description

DreamScape Sustainable offers an eco-friendly solution for stunning and durable wall graphics, featuring a range of sustainable materials to minimise environmental impact without compromising on quality.

## Applications



WALLCOVERINGS

## Technical Specifications

Roll Width	137cm	Roll Length	45.72m
Finishes	Terralon	Nominal Weight	315gsm
Material	100% Terralon (Polyester/ natural fibre technology)	Fire Retardant	AS/NZS 3837:1998
Treatment	Mould, Mildew & Fungal Resistant		

## Printing Compatibility



SOLVENT



ECO SOLVENT



UV GEL & CURABLE



LATEX

DreamScape®



**NOVALON® (130Z/457GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

## Applications



WALLCOVERINGS

## Printing Compatibility



SOLVENT




ECO-SOLVENT



UV GEL & CURABLE



LATEX





**NOVALON® (130Z/457GSM)**  
COMMERCIAL GRADE WALLCOVERINGS

## Description

DreamScape® Novalon® is a low VOC and olefin based commercial wallcovering, providing superior embossing depth and definition, high level durability characteristics, and ease of installation. Novalon® is an affordable, sustainable and no compromise alternative to vinyl.

## Applications



WALLCOVERINGS

## Technical Specifications

Roll Width	137cm	Roll Length	45.72m
Finish	Tapestry	Nominal Weight	130Z/457gsm
Material	100% Olefin (including 15% recycled content)	Fire Retardant	AS/NZS 3837:1998
Treatment	Mould, Mildew & Fungal Resistant		

## Printing Compatibility



SOLVENT



ECO SOLVENT



UV GEL & CURABLE




LATEX

**WALLWRAPS (330 MICRON)**

**CAVIAR**

PERMANENTLY REMOVABLE WALL COVERINGS

# MORNING HAPPINESS





**WALLWRAPS (330 MICRON)** **CAVIAR**  
PERMANENTLY REMOVABLE WALL COVERINGS

## Description

A textured, permanently removable wall covering. This product can be re-applied multiple times and can be used on walls, over mouldings and around corners. It is 2-4 times thicker and more durable than other wraps.

## Applications



WALLCOVERINGS

## Technical Specifications

Roll Width	137cm	Roll Length	45.72m
Texture	Caviar	Film Thickness	330 Micron Textured PVC
Adhesive	Removable, Acrylic Based, Fire Retardant	Fire Retardant	AS/NZS 3837:1998

## Printing Compatibility



SOLVENT



UV CURABLE



LATEX

*DreamScape*



**WALLWRAPS (280 MICRON)** CLASSIC  
PERMANENTLY REMOVABLE WALL COVERINGS





**WALLWRAPS (280 MICRON)** CLASSIC  
 PERMANENTLY REMOVABLE WALL COVERINGS

## Description

A textured, permanently removable wall covering. This product can be re-applied multiple times and can be used on walls, over mouldings and around corners. It is 2-4 times thicker and more durable than other wraps.

## Applications



WALLCOVERINGS

## Technical Specifications

Roll Width	137cm	Roll Length	45.72m
Texture	Classic	Film Thickness	280 Micron Smooth PVC
Adhesive	Removable, Acrylic Based, Fire Retardant	Fire Retardant	AS/NZS 3837:1998

## Printing Compatibility



SOLVENT



UV CURABLE



LATEX